

	LOCALITIES.	RANGE IN DEPTH: FATHOMS.	NATURE OF THE SEA-BOTTOM.	
<b>CRYPTOZONIA.</b>				
<b>SOLASTERIDÆ.</b>				
<b>SOLASTERINÆ.</b>				
<i>Crossaster</i> , Müller and Troschel.				
(1) <i>C. alboverrucosus</i> , Brandt, sp.	Bering Strait.	...	.....	(1)
<i>C. neptuni</i> , Bell . . . . .	Ecuador.	...	.....	(2)
* <i>C. papposus</i> (Linck), Müller and Troschel . . . . .	The whole northern area of the Atlantic extending to Discovery Bay; Assistance Bay; Newfoundland; Grand Manan; Massachusetts; Spitzbergen; Barents' Sea; Iceland; Nova Zembla; Murman coast; Scandinavian, British, and French coasts.	Shallow to 640 }	Hard ground; Clay.	(3)
<i>C. papposus</i> , var. <i>septentrionalis</i> , Sladen . . . . .	In the Faerøe Channel.	53-640	.....	(4)
* <i>C. penicillatus</i> , Sladen . . . . .	Between Nightingale Island and Marion Island.	140 }	Volcanic mud.	(5)
<i>Solaster</i> , Forbes.				
<i>S. abyssicola</i> , Verrill . . . . .	E. coast of North America.	843-1537	.....	(6)
<i>S. eavillii</i> , Verrill . . . . .	E. coast of North America.	...	.....	(7)
* <i>S. endeca</i> (Retzius), Forbes . . . . .	Coasts of Greenland, North America, Norway, Britain, the Faerøe Islands, Iceland, Spitzbergen, and Murman coasts.	Shallow to 150. }	Clay, stones, and sand. }	(8)
<i>S. endeca</i> , var. <i>decemradiata</i> , Brandt . . . . .	Sitcha.	...	.....	(9)
<i>S. glacialis</i> , Danielssen and Koren , , , . . . . .	Between Norway and Buren Island.	191 }	Sandy clay.	(10)
* <i>S. pazillatus</i> , Sladen . . . . .	S. of Yeddo (Japan).	345	Green mud.	(11)
* <i>S. regularis</i> , Sladen . . . . .	W. coast of Patagonia.	175	Blue mud.	(12)