

	PAGE
Genus <i>Calvasteria</i> , Perrier	589
<i>Calvasterias stolidota</i> , n. sp.	590
Family <i>BRISINGIDÆ</i>	592
Genus <i>Labidiaster</i> , Lütken	594
<i>Labidiaster radius</i> (Lovén), Lütken	595
— <i>annulatus</i> , n. sp.	595
Genus <i>Odinia</i> , Perrier	597
<i>Odinia pandina</i> , n. sp.	598
Genus <i>Brisinga</i> , Asbjørnsen	601
<i>Brisinga endecacnemus</i> , Asbjørnsen	603
— <i>coronata</i> , Sars	604
— <i>verticillata</i> , n. sp.	604
— <i>cricophora</i> , n. sp.	606
— <i>armillata</i> , n. sp.	608
— <i>membranacea</i> , n. sp.	611
— <i>discincta</i> , n. sp.	613
Genus <i>Freyella</i> , Perrier	614
<i>Freyella pennata</i> , n. sp.	618
— <i>polycnema</i> , n. sp.	621
— <i>eclinata</i> , n. sp.	623
— <i>fragilissima</i> , n. sp.	626
— <i>bracteata</i> , n. sp.	629
— <i>dimorpha</i> , n. sp.	632
— <i>remex</i> , n. sp.	635
— <i>tuberculata</i> , n. sp.	638
— <i>benthophila</i> , n. sp.	641
— <i>heroina</i> , n. sp.	643
— <i>attenuata</i> , n. sp.	645
Genus <i>Colpaster</i> , n. gen.	647
<i>Colpaster scutigera</i> , sp.	648

III. CHOROLOGY OF THE SPECIES.

A. LIST OF STATIONS AND THE GEOGRAPHICAL POSITIONS AT WHICH ASTEROIDEA WERE COLLECTED, WITH THE ENUMERATION OF THE SPECIES OBTAINED AT EACH STATION.

I. Challenger Expedition	651
II. "Porcupino" Expeditions—	
i. 1869 Cruise	675
ii. 1870 Cruise	679
III. "Knight Errant" Expedition	680
IV. "Triton" Expedition	681
V. "Lightning" Expedition	682

Table of the Distribution of the Genera of Asteroidea collected by the Challenger in the great Oceanic Areas, showing the number of Species by which each is known to be represented and the number of Species which are common to two or more Oceans	683
---	-----