

First pereiopod chelate; carpos not, or but slightly, excavate.
 Second pereiopod chelate; carpos seven-articulate.
 Branchiæ six in number; mastigobranchiæ five, rudimentary.

Nauticaris, n. gen.

Carapace without supraorbital, but with an antennal tooth. Rostrum compressed, slender, serrate.
 Mandible with triarticulate synaphipod; without psalistoma.
 First pereiopod chelate; carpos not excavate.
 Second pereiopod chelate; carpos seven-articulate.
 Branchiæ thirteen in number; mastigobranchiæ six, rudimentary.

Hetairus, n. gen.

Carapace with one supraorbital and one antennal tooth. Rostrum long, narrow, and dentate.
 Mandible with two-jointed synaphipod; without a psalistoma.
 First pereiopod chelate; carpos not excavate.
 Second pereiopod chelate; carpos seven-articulate.
 Branchiæ six in number; mastigobranchiæ four, rudimentary.

Merhippolyte, n. gen.

Carapace without any supraorbital teeth. Rostrum long, slender, serrate.
 Mandible with triarticulate synaphipod, and with psalistoma.
 First pereipod chelate; carpos not excavate.
 Second pereipod chelate; carpos multiarticulate.
 Branchiæ twelve in number; mastigobranchiæ six, rudimentary.

Chorismus, n. gen.

Carapace without any supraorbital tooth. Rostrum long, deep at base, laterally compressed.
 Mandible with triarticulate synaphipod, and rudimentary psalistoma.
 First pereiopod chelate; carpos not excavate.
 Second pereiopod chelate; carpos multiarticulate.
 Branchiæ seven in number; mastigobranchiæ four.