

PLATE XIX.

*Willemæsia leptodactyla* (p. 163).

- c. Cephalon, dorsal aspect. Large variety; enlarged (p. 169).
- c''. Cephalon, dorsal aspect. Type specimen.
- c'''. Inferior aspect of the anterior extremity of cephalon, showing first and second pairs of antennæ, siagon, third pair of siagnopoda, and first pair of gnathopoda, all in position.
- c'''. Metope or facial region, showing ophthalmopoda (*a,a*), position of first pair of antennæ (*b,b*), position of second pair of antennæ (*c,c*).
- b. Coxa of first antenna with ophthalmopod (*a*), in position.
- b. The same enlarged, having upper surface partially removed to show the internal structure of the auditory apparatus (*ac*).
- c. Second antenna; view from the upper surface, showing the reversed position of the extremity of the phymacerite (*ot*).
- o. Posterior pair of pereopoda of male, showing the foramen in the coxa for the passage of the vas deferens.
- p*, ♂. First pleopod of male, in relative position.
- q*, ♂. Second pleopod of male, showing two stylamblydes.
- q*, ♀. Second pleopod in female, showing one stylamblys.
- p*. Pleon; lateral view.
- plc*. Internal dental apparatus at the pyloric extremity of stomach.