

TABLE VIII.

Depth in Fathoms.	No. of Dredgings or Trawlings.			EUPLECTELLIDÆ.	Depth in Fathoms.	Station.	ASCONEMATIDÆ.	Depth in Fathoms.	Station.	ROSSELLIDÆ.	Depth in Fathoms.	Station.
	Total.	With Heractinellida.	Percentage.									
1 to 94	42	...	...									
95 to 100	5	1	20	{ <i>Euplectella aspergillum</i> , . . .	95	209				<i>Polylophus philippinensis</i> , <i>Crateromorpha meyeri</i> , . . .	95 95	209 209
101 to 200	26	5	19.2	{						<i>Rossella antarctica</i> , . . . <i>Lanuginella pupa</i> , . . . <i>Polylophus philippinensis</i> , <i>Crateromorpha thierfelderii</i> , <i>murrayi</i> , . . . <i>Bathylorax stellatus</i> , . . .	{ 127, 140, 150	196H 145 150 192 192 192 192 307
201 to 300	8	...	...									
301 to 400	13	7	53.9	{			<i>Aulascus johnstoni</i> , . . .	310	145A	<i>Rhabdocalyptus raperi</i> , . . . <i>Acanthascus dubius</i> , . . . <i>Crateromorpha tumida</i> , . . .	400 400 300	310 310 194A
401 to 500	11	6	54.5	{						<i>Aulochone lilium</i> , . . .	500	214
501 to 600	10	5	50	{ <i>Euplectella suberca</i> , . . .	600	IV.				<i>Acanthascus grossularia</i> , . . . <i>Rossella antarctica</i> , . . . <i>Aulochone cylindrica</i> , . . .	550 600 600	148A 320 171