

<i>Farrea densa</i> , Carter, Ann. and Mag. Nat. Hist., ser. 4, vol. xii. p. 349,	1873
„ <i>facunda</i> , O. Schmidt, Spong. Atlant. Gebiet.,	1870
„ <i>farreopsis</i> , O. Schmidt, Spong. Meerb. v. Mexico, p. 44,	1880
„ <i>fistulata</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 276,	1875
„ <i>gassioti</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 272,	1875
„ <i>inermis</i> , Bowerbank, Proc. Zool. Soc. Lond., 1876,	1876
„ <i>infundibularis</i> , Carter, Ann. and Mag. Nat. Hist., ser. 4, vol. xii.,	1873
„ <i>infundibuliformis</i> , Carter, Ann. and Mag. Nat. Hist., ser. 4, vol. xii.,	1873
„ <i>irregularis</i> , Bowerbank, Proc. Zool. Soc. Lond., 1876,	1876
„ <i>lævis</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 278,	1875
„ <i>occa</i> , Bowerbank, Phil. Trans., vol. clii.,	1862
„ <i>parasitica</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 279,	1875
„ <i>perarmata</i> , Bowerbank, Proc. Zool. Soc. Lond., 1876,	1876
„ <i>pocillum</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 273,	1875
„ <i>robusta</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 562,	1875
„ <i>sollasii</i> , n. sp., this Report, p. 286,	1887
„ <i>spinifera</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 509,	1875
„ <i>spinosissima</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 508,	1875
„ <i>spinulenta</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 279,	1875
„ <i>tubulata</i> , S. Kent, Monthly Micr. Journ., vol. iv.,	1870
„ <i>valida</i> , Bowerbank, Proc. Zool. Soc. Lond., 1875, p. 507,	1875
„ <i>vosmaëri</i> , n. sp., this Report, p. 286,	1887
„ <i>woodwardi</i> , Sav. Kent, this Report, p. 477,	1887
<i>Fieldingia lagettoides</i> , Sav. Kent, Ann. and Mag. Nat. Hist., ser. 4, vol. vi. p. 219,	1870
<i>Habrodictyum corbicula</i> , Wyv. Thomson, Ann. and Mag. Nat. Hist., ser. 4, vol. i. p. 114,	1868
„ <i>speciosum</i> (Quoy and Gaimard, sp.), Wyv. Thomson, Ann. and Mag. Nat. Hist., ser. 4, vol. i. p. 114,	1868
<i>Hertwigia falcifera</i> , O. Schmidt, Spong. Meerb. v. Mexico, p. 62,	1880
<i>Heterotella corbicula</i> , Gray, Proc. Zool. Soc. Lond., p. 531,	1867
<i>Hexactinella lata</i> , n. sp., this Report, p. 327,	1887
„ <i>tubulosa</i> , n. sp., this Report, p. 328,	1887
„ <i>ventilabrum</i> , Carter, Ann. and Mag. Nat. Hist., ser. 5, vol. xv. p. 397,	1885
<i>Holascus fibulatus</i> , n. gen. et sp., this Report, p. 87,	1887
„ <i>polejaëvii</i> , n. gen. et sp., this Report, p. 89,	1887
„ <i>ridleyi</i> , n. gen. et sp., this Report, p. 90,	1887
„ <i>stellatus</i> , n. gen. et sp., this Report, p. 86,	1887
<i>Holtenia carpenteri</i> , Wyv. Thomson, Phil. Trans., vol. clix. p. 701,	1869
„ <i>grayi</i> , Marshall, Zeitschr. f. wiss. Zool., Bd. xxv., Suppl., p. 142,	1875
„ <i>pourtalesii</i> , O. Schmidt, Spong. Atlant. Gebiet., p. 14,	1870
„ <i>saccus</i> , O. Schmidt, Spong. Atlant. Gebiet., p. 15,	1870
<i>Hyalocaulus simplex</i> , Marshall and Meyer, Mittheil. Zool. Mus. Dresden, p. 264,	1877
<i>Hyalochæta possieti</i> , Brandt, Bull. Acad. St. Petersb., vol. xvi. p. 65,	1857
<i>Hyalonema affine</i> , Brandt, Symb. ad polyp Hyaloch. spect.,	1859
„ „ Marshall, Zeitschr. f. wiss. Zool., Bd. xxv., Suppl., p. 142,	1875
„ <i>anomalum</i> , Bowerbank, Proc. Zool. Soc. Lond., 1877, p. 456,	1877
„ <i>apertum</i> , n. sp., this Report, p. 214,	1887
„ <i>arcticum</i> , Armauer Hansen, Norske Nordhavs Exp., xiii., Spong., p. 19,	1885
„ <i>cebuense</i> , Higgin, Ann. and Mag. Nat. Hist., ser. 4, vol. xv. p. 377,	1875
„ <i>clavigerum</i> , n. sp., this Report, p. 220,	1887
„ <i>conus</i> , n. sp., this Report, p. 209,	1887