

- Eurete simplicissima*, Semper, 298.
Eurotidæ, 12, 289, 391; distribution, 438; phylogeny, 493.
Euryplegma, n. gen., 176, 380.
 „ *auriculare*, n. sp., 176, 380, 490 (Pl. cii.).
 Eversion of cup of *Euryplegma*, 169.
 Farre, Dr. A., *Farrea*, 266.
Farrea, Bowerbank, 266, 276, 390.
 „ *aculeata*, Bowerbank, 271, 274.
 „ *clavigera*, n. sp. 287, 391 (Pl. lxxv.).
 „ *densa*, Carter, 270.
 „ *facunda*, O. Schmidt, 268, 275.
 „ *fistulata*, Bowerbank, 271, 272.
 „ *gassioti*, Bowerbank, 271.
 „ *haeckelii*, 276.
 „ *inermis*, Bowerbank, 271, 274.
 „ *infundibuliformis*, Carter, 270.
 „ *irregularis*, Bowerbank, 271, 374.
 „ *levis*, Bowerbank, 271, 272.
 „ *occa* (Bwk.), Carter, 277, 390 (Pls. lxxi., lxxii., lxxiii., lxxvi.).
 „ *parasitica*, Bwk., 271, 273.
 „ *perarmata*, Bowerbank, 271, 274.
 „ *pocillum*, Bowerbank, 271.
 „ *sollasii*, n. sp., 281, 286, 391 (Pl. lxxiv.).
 „ sp. (?), 288 (Pl. lxxvi.).
 „ *spinifera*, 271, 273.
 „ *spinosissima*, Bowerbank, 271, 273.
 „ *spinulenta*, Bowerbank, 271, 273.
 „ *robusta*, Bowerbank, 271, 274.
 „ *tubulata*, 272.
 „ *valida*, Bowerbank, 271, 273.
 „ *vosmaeri*, n. sp., 281, 286, 391 (Pl. lxxiv.).
Farreidæ, 266; distribution, 438.
Fieldingia, Sav. Kent, 335, 401.
 „ *lagettoides*, Sav. Kent, 335 (Pl. xcvi.).
 Fiji Islands, *Tægeria*, 94, 369.
 Filhol, H., 17; *Asconema*, 116; bathymetrical distribution, 454; divergent results, 433; *Euplectella suberea*, 76; *Pheronema*, 239; flagellum, 23.
 Flesh spicules, 10.
Floricome, 32, 48, 170.
 Florida, *Aphrocallistes*, 395; *Sympagella*, 372.
 Form and structure, 19.
 Fossil Euplectellida, 63.
 France, *Aphrocallistes*, 395.
Gastralia, 44, 49.
 Gastral cone, *Hyalonema*, 189.
 Gastral membrane, 19, 47.
 „ pores, 47.
 „ septa, *Hyalonema sieboldii*, 191.
Gemmulae, 60.
 Genealogical tree, 495, 499.
 General structure, 19.
 Genital products, 24.
 Geographical distribution, 420.
 Gibraltar, *Euplectella*, 76, 366; *Rossella*, 143, 375.
 Glossary, 47.
 Glassrope, 202.
 Granules, 24.
 Graphiohexasters, 31, 48.
 Gray, 6, 56; *Aphrocallistes beatrix*, 305; *Asconema*, 114; *Crateromorphidæ*, 160; *Dactylocalycidæ*, 343, 346; *Euplectella*, 55, 57; *Hyalonema*, 181, 184, 185; *Labaria hemisphærica*, 237; *Meyerella clamiformis* = *Semperella*, 260; *Myliusia*, 352; *Pheronemadæ*, 237; *Polylophus*, 132, 133; *Rossella*, 136; *Sympagella*, 119.
 Grenada, *Euplectella*, 77; *Hyalonema kentii*, 207.
 Guadeloupe, *Hyalonema toxeres*, 207.
Habrodictyum, Wyv. Thomson, 99, 370.
 „ *speciosum*, Quoy and Gaimard, 99, 370.
 Haeckel, spicules, 499.
 Hansen, A., *Hyalonema arcticum*, 188.
 Havana, *Margaritella*, 404.
 Herklots and Marshall, *Euplectella*, 56.
Hertwiggia, O. Schmidt, 109, 371.
 „ *falcifera*, O. Schmidt, 62, 109, 371, 491.
 „ *falciformis*, 16.
Heterotellu, 101.
 Hexactinellida—origin of term, 5, 51, 365; List of, 480.
Hexactinella, Carter, 327; history, 327, 328, 398.
 „ *lata*, n. sp., 229, 399 (Pls. xciv., xcv.).
 „ *tubulosa*, n. sp., 328, 398 (Pl. xciii.).
 „ *ventilabrum*, Carter, 331 (Pl. xcvi.).
 „ „ Carter (= *Tretodictyum cyathus*), 328, 399.
 Hexacts, 29; irregular, 32; regular, 48; nodular, 119.
 Hexasterida, phylogeny, 492.
Hexasterophora, 51, 365.
 Higgin, *Euplectella*, 58; *Hyalonema cebuense*, 186, 228; *Labaria hemisphærica*, 238.
 „ *Pheronema hemisphæricum*, 247.
 Hinde, G. J., 18.
 Histology, 23.
 History of work, 1; of Hexactinellida, 5.