

PLATE XXXII.

PAGE  
229

- Figs. 1-10. *Hyalonema robustum*, F. E. S., . . . . .  
Fig. 1. Lateral view of a great amphidisc ;  $\times 300$ .  
Fig. 2. Terminal view of the same great amphidisc shown in fig. 1 ;  $\times 300$ .  
Figs. 3, 4. Middle-sized amphidiscs ;  $\times 300$ .  
Fig. 5. Small amphidisc ;  $\times 300$ .  
Fig. 6. Oxyhexact with smooth bent rays ;  $\times 300$ .  
Fig. 7. Autodermal pentact pinulus ;  $\times 300$ .  
Fig. 8. Oxyhexact with straight echinated rays ;  $\times 300$ .  
Fig. 9. Strong tetract with echinated ends from the basal pad ;  $\times 300$ .  
Fig. 10. Strong diact with echinated ends and two central echinated knobs ;  $\times 300$ .

Figs. 11-16. *Hyalonema* sp., near *Hyalonema (Stylocalyx) depressum*, F. E. S., 231

- Fig. 11. Great slender amphidisc with four cruciateley disposed central knobs on the axial beam ;  $\times 300$ .  
Figs. 12, 13. Middle-sized slender amphidiscs ;  $\times 300$ .  
Fig. 14. Small amphidisc ;  $\times 300$ .  
Fig. 15. Oxyhexact with straight smooth rays ;  $\times 300$ .  
Fig. 16. Autodermal pentact pinulus ;  $\times 300$ .