Discovery Bay; lat. 81° 41' N.; 25 fathoms; hard bottom.

Antedon prolixa. Antedon quadrata. Also at Franklin-Pierce Bay; the "Valorous," 1875, Station 6; the Challenger, Station 48; and the "Triton," 1882, Stations 4, 6.

H.M.S. "KNIGHT ERRANT," 1880.

On the plateau N.N.W. of North Rona; lat. 59° 12' N., long. 5° 57' W.; 53 fathoms; rough ground.

Antedon rosacea. Also in the Mediterranean.

H.M.S. "TRITON," 1882.

STATION 2. Lat. 59° 37′ 30″ N., long. 6° 19′ 0″ W.; 530 fathoms; mud; bottom temperature, 46° 2 F.

Antedon tenella. Also at Station 5. Also the "Porcupine," 1869, Stations 51, 54, 55, 74; and 1870, Station 17A.

STATION 3. August 8, 1882; on the Færoe Banks; lat. 60° 39' 30" N., long. 9° 6' 0" W.; 87 fathoms; sand and shells; bottom temperature, 49° F.

Antedon petasus.

STATION 4. Lat. 60° 22' 40" N. and 60° 31' 15" N., long. 8° 21' 0" W. and 8° 14' 0" W.; 327 to 430 fathoms; stones, mud; bottom temperature, 31° 5 to 30° F.

> Antedon eschrichti. Also the "Porcupine," 1869, Station 57; the "Valorous," 1875, Station 1; the "Alert," 1875, Franklin-Pierce Bay; and the Challenger, Station 48.

Antedon hystrix. Also the "Porcupine," 1869.

Antedon quadrata. Also at Station 6. Also the "Valorous," 1875, Station 6; also the "Alert," 1875, Discovery Bay and Franklin-Pierce Bay; and the Challenger, Station 48.