

## ANTEDON—

*quinduplicava*, 9, 10, 13, 55, 203, 253, 262–264, 364, 366, 380 (Pl. iv. fig. 1; Pl. xlvi. figs. 4, 5).  
*quinquecostata*, 8, 13, 47, 54, 75, 92, 208, 209, 211, 215–218, 306, 362, 368, 379 (Pl. iii. fig. 6; Pl. xxxviii. figs. 1–3).  
*regalis*, 31, 55, 224, 226, 237, 360, 366, 379 (Pl. xlvi.).  
*reginæ*, 48, 55, 225, 366, 379.  
*remota*, 27, 54, 158, 184–186, 188, 191, 358, 370, 372, 377 (Pl. xxix. figs. 5–9).  
*retzii*, 8, 9.  
*reynaudi*, 43, 55, 252, 255, 366, 380.  
*rhodanica*, 40.  
*rhomboidea*, 30, 54, 137, 138, 141, 148, 149, 365, 368, 376 (Pl. xii. figs. 1, 2; Pl. xxiv. figs. 1–3).  
*robusta*, 54, 212, 220, 221, 223, 362, 368, 379 (Pl. xliv. fig. 1).  
*rosacea*, 3, 7, 16, 19, 20, 22, 23, 27, 31–34, 54, 77, 80, 89, 90, 110, 119, 123, 127, 137, 143, 158, 160–164, 168, 169, 171, 177, 178, 181–183, 192, 205, 229, 231, 240, 261, 286, 287, 309, 354–356, 366–368, 373, 377.  
\*i.\*  
*rubiginosa*, 60.  
*rugosa*, 8.  
\*i.\*  
*sarsii*, 53, 142, 170, 172–175, 177.  
*savignyi*, 55, 252, 253, 255, 263, 366, 380.  
*scrobiculata*, 26, 38, 214.  
*semiglobosa*, 8.  
*serripinna*, 54, 192, 198, 366, 378.  
*similis*, 55, 208, 210, 211, 223, 224, 226, 235–237, 360, 368, 369, 379 (Pl. xlvi. figs. 1–3).  
*spicata*, 55, 225, 232, 233, 366, 380.  
*spinicirra*, 54, 102, 112–114, 360, 370, 372, 376.  
*spinifera*, 50, 55, 208–211, 216, 217, 306, 368, 379.  
*striata*, 8.  
*tenella*, 7, 22, 32, 33, 54, 57, 118, 119, 136, 142, 157, 162, 168, 169, 173–180, 196, 353, 354, 356, 357, 368, 369, 372, 377 (Pl. xiv. fig. 4; Pl. xxxi. figs. 1–4).

## ANTEDON—

*tenuicirra*, 54, 158, 186–188, 192, 364, 368, 377 (Pl. xxx. figs. 4–8; Pl. xxxiii. figs. 4, 5).  
*tessellata*, 54, 193, 366, 378.  
*tessoni*, 38.  
*tourtiæ*, 8.  
*tuberculata*, 45, 55, 208, 210, 224, 225, 231, 232–234, 360, 369, 380.  
*tuberosa*, 31, 54, 103, 126–129, 133, 178, 363, 369, 376 (Pl. xiv. fig. 9; Pl. xxiii. fig. 2).  
*valida*, 54, 61, 76, 91, 101, 102, 104–108, 112, 116, 123, 141, 198, 216, 249, 251, 364, 369, 376 (Pl. xv. figs. 5–8).  
*variipinna*, 45–47, 54, 55, 57, 61, 97, 193, 197–199, 205, 224, 240, 252, 253, 255, 256–263, 361, 362, 367, 378, 380 (Pl. xxxvi. figs. 1–6; Pl. xlvi. figs. 3–5; Pl. xlix. figs. 1, 2).  
Apioerinidae, 10–12, 119, 335.  
Ariocrinus, 11, 12, 27, 101.  
Articulata, 64.  
Asterocrinidea, 63.  
\*Asterias, 1, 85, 88, 269.  
*multiradiata*, 89, 172, 173, 268–271, 322–324.  
*pectinata*, 59, 171–173, 268, 269, 271, 279, 280, 284, 286, 287.  
*tenella*, 169, 171–173, 286.  
\*ASTERIATITES, 85.  
Asterites liberi, 63.  
\*ASTROOMA, 86, 266.  
Astylidea, 64.  
ATELECRINUS, 5, 13, 19, 23, 31, 35, 66, 68–71, 91, 207, 273, 383; basals of, 68, 69; bathymetrical distribution of, 31, 70, 73; centro-dorsal of, 13, 69; disk of, 70, 273; geographical distribution of, 31, 70.  
*balanoides*, 69, 70–72, 357, 369, 374 (Pl. vi. figs. 6, 7).  
*cubensis*, 69–73, 369, 374.  
*wyvillii*, 35, 69, 70, 72, 361, 369, 372, 374 (Pl. vi. figs. 4, 5).  
Axillaries, 41–48, 50, 51, 53.  
BARYCRINUS, 8.  
Basals, 6, 10–13, 19–23, 38, 69, 214.  
of *Attelecrinus*, 68, 69.