

STATION 209. Off Zebu, Philippine Islands, January 22, 1875; lat. $10^{\circ} 14' N.$, long. $123^{\circ} 54' E.$; depth, 95 fathoms; bottom, blue mud. Trawled and dredged.

Thenea wyvillii.

STATION 212. Celebes Sea, Philippine Islands, January 30, 1875; lat. $6^{\circ} 54' N.$, long. $122^{\circ} 18' E.$; depth, 10 fathoms; bottom, sand. Trawled and dredged.

Myriastra clavosa, var. *quadrata*.

STATION 218. Off New Guinea, March 1, 1875; lat. $2^{\circ} 33' S.$, long. $144^{\circ} 4' E.$; depth, 1070 fathoms; bottom, blue mud; bottom temperature, $36^{\circ} 4$. Trawled.

Thenea sp. (*wyvillii*?).

Kobé, Japan, June, 1875; depth, 8 to 50 fathoms.

Myriastra subtilis.

STATION 236. South of Japan, June 5, 1875; lat. $34^{\circ} 58' N.$, long. $139^{\circ} 29' E.$; depth, 775 fathoms; bottom, green mud; bottom temperature, $37^{\circ} 6$. Trawled.

Tetilla sp. | *Pæcillastra tenuilaminaris*.

Reefs off Tahiti; depth, 30 to 70 fathoms.

Pilochrota pachydermata.

STATION 297. South-west of Juan Fernandez, November 11, 1875; lat. $37^{\circ} 29' S.$, long. $83^{\circ} 7' W.$; depth, 1775 fathoms; bottom, Globigerina ooze; bottom temperature, $35^{\circ} 5$. Trawled.

Thenea sp. (*wrightii*?).

STATION 302. Off the west coast of South America, December 28, 1875; lat. $42^{\circ} 43' S.$, long. $82^{\circ} 11' W.$; depth, 1450 fathoms; bottom, Globigerina ooze; bottom temperature, $35^{\circ} 6$. Trawled.

Thenea wrightii.

STATION 308. Off Tom Bay, Patagonia, January 5, 1876; lat. $50^{\circ} 8' 30'' S.$, long. $74^{\circ} 41' 0'' W.$; depth, 175 fathoms; bottom, blue mud. Trawled.

Astrella vosmaeri. | *Stelletta phrisseus*.
Cydonium magellani.