

	Locality.	Station.	Depth in Fathoms.	Bottom Temp.	Nature of Bottom.
<i>Macandrewia azorica</i> , .	Between Færøe Islands and North Coast of Scotland,	(?)		
„ <i>clavatella</i> , .	Florida,	152-270		
	Gulf of Mexico,	131		
Genus 4. <i>Dædalopelta</i> .					
<i>Dædalopelta nodosa</i> , . . .	Gulf of Mexico,	(?)		
Genus 5. <i>Heterophymia</i> , Pomel.					
<i>Heterophymia heteroformis</i> ,	Shanghai, China,	under 100 (?)		
Family III. Pleromidæ.					
Genus 1. <i>Pleroma</i> .					
<i>Pleroma turbinatum</i> , . . .	Matuku, Fiji, 19° 9' 35" S., 179° 44' 50" E., . . .	173	315	...	coral mud.
Genus 2. <i>Lyidium</i> , O. Schmidt.					
<i>Lyidium torquila</i> , . . .	Cuba,	270		
Demus II. <i>Rhabdosa</i> .					
Family I. Neopeltidæ.					
Genus 1. <i>Neopelta</i> , O. Schmidt.					
<i>Neopelta perfecta</i> , . . .	Gulf of Mexico,	(?)		
„ <i>imperfecta</i> , . . .	Barbados,	103		
Family II. Scleritodermidæ.					
Genus 1. <i>Scleritoderma</i> , O. Schmidt.					
<i>Scleritoderma flabelliformis</i> ,	Ki Islands,	192	140	...	blue mud.
„ <i>packardi</i> , . . .	Gulf of Mexico,	(?)		
Genus 2. <i>Aciculites</i> .					
<i>Aciculites higginsii</i> , . . .	Havanna,	100		
Family III. Cladopeltidæ.					
Genus 1. <i>Siphonidium</i> , O. Schmidt.					
<i>Siphonidium capitatum</i> , . . .	Ki Islands,	192	140	...	blue mud.
„ <i>ramosum</i> , . . .	Florida,	125		
	Sombrero,	240		
	Morro Light,	212		
Suborder ANOPLIA.					
Family I. Azoricidæ.					
Genus 1. <i>Azorica</i> , Carter.					
<i>Azorica chonellides</i> , . . .	Bay of Sagami, Japan,	(?)		
„ <i>crassiuscula</i> , . . .	(?),	(?)		
„ <i>marginata</i> , . . .	Ki Islands,	192	140	...	blue mud.
„ <i>pfeifferæ</i> , . . .	Bermudas, 32° 21' 30" N., 64° 35' 55" W., . . .	33	435	...	coral mud.
	Bermudas, 32° 8' 45" N., 64° 59' 35" W., . . .	56	1075		