

- long. 0,53 mm. Variatio. *A. Antennæ inferiores* superioribus paulo breviores, articulis 18-23. Variatio. *B. Antennæ inferiores superiores* longiores et fortiores, articulis 28 valde crescentibus, 1-mo infra in tubulum acutum (organ. audit.), 2-do supra producto, margine superiore ut 3-ii dense piloso; transitionem ad *D. spinosam* faciens."
- "Subfam *b. Stegocephalides*, Sp. Bate and W.," contains Gen. 56. *Probolium*, Costa, Czerniavski not recognising that this had been anticipated by Dana's *Stenothoë*. He gives 73. *Probolium ponticum*, n. s., Tab, viii. fig. 17-23. "Proximum *Probolio* (Montagua) *monoculoidi* (Mont., Sp. B.), epimeris utriusque speciei simillimis.
- "Caput rostro brevissimo, obtuso. *Oculi* rotundi. *Antennæ superiores* usque ad dimidium segmenti 4-ti pertinentes, 10-articulatæ, pedunculo incrassato dimidio flagelli paulo longiore, articulis decrescentibus, flagello ad apicem sensim attenuato, articulis in apice filum olfact. gerentibus; *a. inferiores* breviores et multo debiliores, pedunculo æque longo ac superiorum, articulo 1-mo et 2-do brevissimis, junctis 3-io haud longioribus, 4-to paulo longiore quam 3-ius, flagello æque longo ac pedunculo, 5-articulato. *Pedes paris 1-mi* et *2-di* fere similes, carpo triangulari, manu subquadrangula antice leviter convexa, palma obliqua leviter convexa, spinulis minutissimis obsita, *p. 1-mi* palma æque longa ac margo posterior, postice spinulam minutam gerente, ungue crasso paulo curvato, *p. 2-di* multo majores et validiores, carpo postice anguste-producto, manu subtus latiore, palma multo longiore quam margo posterior, postice leviter excavata et denticulis spiniformibus 4 armata, ungue elongato leviter curvato. *Pedes ceteri* longitudine crescentes, tarso curvato subtus latiore, ungue forti, *p. 3-ii* et *4-ti* articulo 2-do (*basis* Sp. B.) haud multo dilatato, fere æque lato, 3-io antrorsum dilatato et in apice producto, *p. 5-ti*, *6-ti*, *7-mi* articulo 2-do retrorsum maxime dilatato et in apice rotundate producto, margine posteriore lævi, 3-io retrorsum dilatato et in apice producto, ungue curvo. *Pedes spurii* elongati, *p. 1-mi* et *2-di* ramis styliiformibus leviter curvatis, æque longis ac pedunculus, inæqualibus, *p. 2-di* $\frac{2}{3}$ primi longitudine, *p. postremi* simplices, 3-articulati, articulis æque longis, 1-mo et 2-do spinis singulis (2-4) armati. *Telson* oblongum, læve, postice rotundatum, marginibus lateralibus rectis. Long. corp. usque ad $2\frac{1}{2}$ mm. Color flavescens. *Oculi* rubri."
- "Tribus *B. Saltatoria* Sp. B. and W.," contains Fam. 28. *Orchestidæ* Dana. In this he places Genus 57. *Nicea*, Nicolet, with *Hyale*, Rathke, *Amphithoe* (pars), M.-Edwards, Rathke, Grube, *Orchestia* (pars) Lucas, *Allorchestes* (pars), Dana, Bruzelius, Grube, in the synonymy. In the genus *Nicea* he gives 74. *Nicea istrica*, Grube, Tab. viii. fig. 24-25, which he describes, and "75. *Nicea Perieri* (Luc.) mihi. Tab. viii. fig. 26-27," with the synonymy, "*Orchestia Perieri*," Lucas, and "*Allorchestes Perieri*," Grube, describing "*A. Varietas pontica* m. Maxime proxima varietati maris Adriatici. *Mas. Antennæ superiores* segmentum 4-tum attingentes, articulis 12-16, *inferiores* usque ad segmentum 6-tum pertinentes, articulis 23-33. *Oculi* ovales vel suborbiculares. *Pedes paris 2-di* articulo 2-do antrorsum fortiter dilatato et in apice paulo subtus producto, 3-io antrorsum maxime rotundate-producto; *pedes posteriores* 3 articulo 4-to retrorsum dilatato. *Femina*: ut in varietate adriatica. *Laminæ forioræ* oblongæ, sat longe cirratæ. Long. corp. ♂ usque ad 6 mm., ♀ usque 5 mm. Color ut in præcedente [sordide flavescens, sæpe dorso rubrescente-flave scent]."
- "*B. Varietas brevicornis* m. *Mas.* Præcedenti simillimus; sed antennæ abbreviatæ, paulo crassiores, *superiores* segmentum 3-ium pæne attingentes, articulis 11-12, *inferiores* usque ad segmentum 4-tum pertinentes, 14-articulatæ. *Oculi* ovales. *Pedes paris 2-di* articulo 2-do et 3-io ut in varietate Adriatica haud dilatatis. Long. corp. usque 6,6 mm. Color sordide-flavescens."
- "Genus 58. *Orchestia* (+ *Talitrus*) Leach," receives "76. *Orchestia Bottæ*, Edw.," Tab. viii. fig. 28-32, with "*O. constricta*, Cost.," "*O. littorea*, Grube," "*O. Montagui* (pars), Rathke," in the synonymy. A description of the species is followed by the description of a variety, "*Varietas femineformis* mihi. Tab. viii. fig. 33. *O. Bottæ* simillima, nisi *pedes 2-di paris* articulo 2-do oblonge-ovato, carpo haud abbreviato, longiore quam lato, in margine anteriore