

Podocerus—continued.

<i>calcaratus</i> , Rathke, 1843,	205, 219, 252, 299, 312
<i>californicus</i> , Boeck, 1872,	410
<i>capillatus</i> , Rathke, 1843,	{ 205, 219, 312, 319, 430 595
<i>cylindricus</i> , Say, 1880,	{ 104, 189, 200, 204, 207 277, 437, 480
<i>cylindricus</i> , Sp. Bate, 1862,	437
<i>dentex</i> , Czerniavski, 1868,	376
<i>falcatus</i> , Sp. Bate, 1862,	{ 188, 205, 312, 331, 367 369, 396, 430, 496, 520 541, 548, 578, 594, 596 1132, 1639, pl. cxix
<i>frequens</i> , Chilton, 1883,	1136
<i>fucicola</i> , S. I. Smith, 1874,	277, 437
<i>hoeki</i> , Stebbing, 1888,	1136, pl. cxx
<i>ingens</i> , Pfeffer, 1888,	1653
<i>largimanus</i> , ¹ Heller, 1866,	367, 469, 517, 519
<i>latipes</i> , Sp. Bate, 1862,	{ 200, 396, 570, 1132 1634
<i>latipes</i> , G. O. Sars, 1876,	498
<i>Leachii</i> , Krøyer, 1842,	{ 200, 270, 312, 358 1621
<i>longicornis</i> , ¹ Heller, 1866,	367, 517, 519
<i>longicornis</i> , G. O. Sars, 1879,	498, 570
<i>longimanus</i> , Chilton, 1883,	550
<i>megacheir</i> , Boeck, 1870,	396, 570
<i>minutus</i> , G. O. Sars, 1882,	251, 541
<i>monodon</i> , Heller, 1866,	367, 517
<i>nanoides</i> , Hansen, 1887,	1644
<i>nitidus</i> , Stimpson, 1854,	277
<i>ocius</i> , Sp. Bate, 1862,	336, 376, 521
<i>orientalis</i> , Sp. Bate, 1862,	265
<i>ornatus</i> , Miers, 1875,	447, 497, 499
<i>pelagicus</i> , M.-Edw., 1830,	{ 86, 188, 290, 369, 430 496, 520, 578
<i>pulchellus</i> , M.-Edw., 1830,	{ 86, 189, 223, 283, 329 369, 430, 496, 520, 544 563, 578
<i>punctatus</i> , ² "Edwards, MS.," } Sp. Bate, 1856-7.	
<i>rapax</i> , Carus, 1885,	469, 560
<i>tenuicornis</i> , G. O. Sars, 1885,	498, 570
<i>tristanensis</i> , Stebbing, 1888,	1141, pl. cxxi
<i>tuberculatus</i> , Hoek, 1882,	534, 1140
<i>validus</i> , Sp. Bate, 1862,	265, 1135, pl. cxxxviii, B
<i>variegatus</i> , Leach, 1814,	{ 80, 86, 90, 123, 138 189, 192, 223, 283, 331 367, 396, 430, 520
<i>zebra</i> , Liljeborg, 1855,	204, 285, 312
<i>Podura</i> —	
<i>maritima</i> , ³ Poda, 1761,	20, 25
<i>Polycheria</i> —	
<i>brevicornis</i> , Haswell, 1880,	512
<i>obtusa</i> , G. M. Thomson, 1882,	451, 1637
<i>tenuipes</i> , Haswell, 1880,	451, 512, 945

Pontocrates (see p. 572)—

<i>? arenarius</i> , J. Sp. Schneider, 1885,	307, 322, 395, 572
<i>haplocheles</i> , Boeck, 1870,	373, 395
<i>norvegicus</i> , ⁴ Boeck, 1870,	{ 307, 322, 340, 395, 445 546, 572
<i>Pontogeneia</i> —	
<i>crenulata</i> , Lütken, 1875,	1634
<i>inermis</i> , Boeck, 1870,	{ 47, 179, 278, 395, 436 437, 546, 1645
<i>Pontoporeia</i> —	
<i>affinis</i> , Lindström, 1855,	{ 287, 331, 342, 345, 358 372, 393, 416, 421, 548
<i>affinis</i> , S. I. Smith, 1871,	409, 433
<i>armata</i> , Boeck, 1860,	322, 393
<i>femorata</i> , Krøyer, 1842,	{ 198, 210, 217, 251, 287 301, 313, 318, 345, 354 372, 393, 421, 465, 485 541, 548, 1634
<i>filicornis</i> , S. I. Smith, 1874,	416, 433
<i>furcigera</i> , Bruzelius, 1859,	{ 210, 313, 354, 393, 465 541, 548, 1639
<i>Hoyi</i> , S. I. Smith, 1874,	416, 433
<i>setosa</i> , Stuxberg, 1880,	523
<i>Primno</i> —	
<i>antarectica</i> , Stebbing, 1888,	1448
<i>Guerinii</i> , White, 1847,	223, 1448
<i>latreillei</i> , Stebbing, 1888,	1445, pl. clxxxix, A
<i>macropa</i> , Guérin, 1836,	{ 164, 175, 189, 589, 1441 pl. clxxxviii
<i>macropo</i> , Nicolet, 1849,	232
<i>menevillei</i> , Stebbing, 1888,	1447, pl. clxxxix, B
<i>Prinassus</i> —	
<i>Nordenskiöldii</i> , Hansen, 1887,	1644, 1645
<i>Priscilla</i> (now <i>Priscillina</i> , see p. 1680)—	
<i>armata</i> , Boeck, 1870,	322, 393
<i>Probolium</i> —	
<i>Alderi</i> , Norman, 1869,	1628
<i>longimanum</i> , Carus, 1885,	560
<i>marinum</i> , Carus, 1885,	560
<i>megacheles</i> , Heller, 1866,	366, 454, 469, 560
<i>Miersii</i> , Chilton, 1884,	551, 536
<i>monoculoides</i> , Nebeski, 1880,	520
<i>polyprion</i> , A. Costa, 1853,	{ 274, 293, 297, 366, 454 469, 560
<i>poniticum</i> , Czerniavski, 1868,	380
<i>serratipes</i> , Norman, 1869,	1627
<i>Spence-Batei</i> , Stebbing, 1876,	460
<i>tergestinum</i> , Nebeski, 1880,	520, 560 ⁵
<i>Pronoe</i> —	
<i>brunnea</i> , Dana, 1852,	269, 492, 591, 1507
<i>capito</i> , Guérin, 1836,	{ 165, 175, 190, 232, 492 591, 1508, pl. clxxxvi
<i>Prosoponiscus</i> —	
<i>problematicus</i> , Kirkby, 1857,	118, 300, 311, 353, 472
<i>Protella</i> —	
<i>australis</i> , Haswell, 1880,	511, 535, 565, 1248

¹ Heller's species *Podocerus largimanus* and *Podocerus longicornis*, ought probably to be referred either to the genus *Grubia*, Czerniavski, or to *Amphithoides*, Kossmann.
² Afterwards called *Derochoe* (*Cerapus*) *punctatus*.
³ On p. 24, line 43, for *Aquaticæ* read *Aquaticæ*.
⁴ See footnote to *Ædiceros norvegicus*, Boeck, p. 1718.
⁵ On p. 560, line 32, for *tergestina* read *tergestinum*.