

<i>Pagurus similimanus</i> , n. sp.	<i>Galathea aculeata</i> , Haswell, X.
<i>Clibanarius</i> (?) sp.	„ <i>inconspicua</i> , n. sp.
<i>Eupagurus spinulentus</i> , n. sp.	<i>Munida spinulifera</i> , Miers.
„ sp.	„ <i>incerta</i> , n. sp.
<i>Spiropagurus spiriger</i> (De Haan).	„ <i>squamosa</i> , Henderson.
<i>Catapagurus australis</i> , n. sp., X.	„ <i>scabra</i> , Henderson.
<i>Paguristes hians</i> , n. sp.	„ <i>proxima</i> , Henderson.
„ sp.	„ <i>militaris</i> , Henderson, X.
* <i>Parapagurus abyssorum</i> , A. Milne- Edwards, II., III., V., VII., XI.)	„ var. <i>curvirostris</i> , Hen- derson.
* „ <i>affinis</i> , n. sp.	„ <i>inornata</i> , Henderson.
* <i>Pagurodes limatulus</i> , n. sp.	* <i>Munidopsis brevimana</i> , Henderson.
„ <i>piliferus</i> , n. sp.	* „ <i>milleri</i> , Henderson.
<i>Paguroopsis typicus</i> , n. sp.	* „ <i>pilosa</i> , Henderson.
<i>Petrolisthes annulipes</i> (White), Miers.	<i>Elasmonotus lævigatus</i> , Henderson.
<i>Porcellana serratifrons</i> , Stimpson.	„ <i>debilis</i> , Henderson.
<i>Porcellanella triloba</i> , White, XII.	* <i>Galacantha talismanii</i> , A. Milne- Edwards.
<i>Raphidopus ciliatus</i> , Stimpson.	<i>Eumunida smithii</i> , Henderson.
<i>Pachycheles pulchellus</i> (Haswell).	<i>Ptychogaster lævis</i> , Henderson.
<i>Polyonyx obesulus</i> (White), Miers.	* <i>Uroptychus spinimarginatus</i> , Hen- derson, X.
<i>Galathea elegans</i> , White.	„ <i>australis</i> , Henderson, VIII., X.
„ <i>australiensis</i> , Stimpson.	
„ <i>subsquamata</i> , Stimpson.	
„ <i>grandirostris</i> , Stimpson.	

## VII. THE JAPANESE PROVINCE.

The Crustacean fauna of the Japanese seas is in many respects so peculiar that there can be little doubt that they are entitled to rank as a distinct province.

<i>Cryptodromia japonica</i> , n. sp.	* <i>Parapagurus abyssorum</i> (A. Milne- Edwards), II., III., V., VI., XI.
<i>Eupagurus constans</i> , Stimpson.	
* <i>Munidopsis subsquamata</i> , Henderson.	