

V. From 200 to 500 fathoms.

<i>Lyreidus tridentatus</i> , De Haan, II.	<i>Munida tuberculata</i> , Henderson.
<i>Lithodes murrayi</i> , n. sp.	„ <i>spinicordata</i> , Henderson.
<i>Paralomis aculeatus</i> , n. sp.	„ sp.
<i>Eupagurus lacertosus</i> , n. sp.	<i>Munidopsis erinacea</i> (A. Milne-Edwards).
„ <i>occlusus</i> , n. sp.	„ <i>sigsbei</i> (A. Milne-Edwards).
<i>Paguristes visor</i> , n. sp.	„ <i>trifida</i> , Henderson.
<i>Parapagurus dimorphus</i> (Studer), IV.	<i>Elasmonotus armatus</i> , A. Milne-Edwards.
„ <i>gracilis</i> , n. sp.	„ <i>miersii</i> , Henderson.
<i>Porcellana robertsoni</i> , n. sp.	„ <i>asper</i> , Henderson.
<i>Galathea inconspicua</i> , Henderson.	„ <i>debilis</i> , Henderson.
<i>Munida stimpsoni</i> , A. Milne-Edwards.	<i>Ptychogaster milne-edwardsi</i> , Henderson.
„ <i>miles</i> , A. Milne-Edwards.	<i>Uroptychus nitidus</i> (A. Milne-Edwards).
„ <i>microphthalma</i> , A. Milne-Edwards, VI.	„ <i>insignis</i> , Henderson.
„ <i>spinosa</i> , Henderson, VI.	„ <i>parvulus</i> , Henderson.
„ <i>normani</i> , Henderson.	„ <i>australis</i> , Henderson, VI.
„ <i>incerta</i> , n. sp.	„ <i>gracilimanus</i> , Henderson.
„ <i>granulata</i> , Henderson.	
„ <i>militaris</i> , Henderson, IV.	
„ <i>militaris</i> , Henderson, var. <i>curvirostris</i> , nov.	
„ <i>gracilis</i> , Henderson.	

ABYSSAL SPECIES.

VI. From 500 to 1000 fathoms.

<i>Homologenus</i> (?) sp.	<i>Munida spinosa</i> , Henderson, V.
<i>Paralomis formosus</i> , n. sp.	<i>Munidopsis brevimana</i> , Henderson, VII.
<i>Eupagurus rubricatus</i> , n. sp.	„ <i>milleri</i> , Henderson.
<i>Parapagurus affinis</i> , n. sp.	„ <i>pilosa</i> , Henderson.
<i>Pagurodes limatulus</i> , n. sp.	<i>Uroptychus spinimarginatus</i> , Henderson.
<i>Munida subrugosa</i> (White), I., II., IV.	„ <i>politus</i> , Henderson.
„ <i>microphthalma</i> , A. Milne-Edwards, V.	„ <i>australis</i> , Henderson, V.