

STATION 145A. Off Marion Island, December 27, 1873; lat. $46^{\circ} 41' S.$, long. $38^{\circ} 10' E.$; depth, 310 and 150 fathoms; bottom, volcanic sand. Dredged.

Plumularia insignis. | *Plumularia abietina.*
Staurotheca dichotoma.

STATION 149. Off Accessible Bay, Kerguelen, January 9, 1874; depth, 20 fathoms.

Sertularia secunda [*unilateralis*].

STATION 149D. Royal Sound, Kerguelen, January 20, 1874; lat. $49^{\circ} 28' S.$, long. $70^{\circ} 13' E.$; depth, 28 to 60 fathoms; bottom, volcanic mud. Dredged.

Grammaria stentor. | *Sertularia echinocarpa.*
Sertularia articulata.

STATION 149J. Off Cumberland Bay, Kerguelen Island, January 29, 1874; lat. $48^{\circ} 43' S.$, long. $69^{\circ} 15' E.$; depth, 105 fathoms; bottom, volcanic mud. Dredged.

Schizotricha unifurcata. | *Eudendrium rameum.*
Halecium arboreum [*robustum*].

Off Kerguelen Island; depth, 10 to 60 fathoms.

Schizotricha unifurcata. | *Obelia geniculata.*
Hypanthea aggregata.

STATION 150. Off Heard Island, February 2, 1874; lat. $52^{\circ} 4' S.$, long. $71^{\circ} 22' E.$; depth, 150 fathoms; bottom, coarse gravel; bottom temperature, $35^{\circ} \cdot 2$. Dredged.

Campanularia tulipifera.

STATION 151. Off Heard Island, February 7, 1874; lat. $52^{\circ} 59' 30'' S.$, long. $73^{\circ} 33' 30'' E.$; depth, 75 fathoms; bottom, volcanic mud. Dredged.

Schizotricha multifurcata. | *Eudendrium vestitum.*
Sertularia exserta.

STATION 160. South of Australia, March 13, 1874; lat. $42^{\circ} 42' S.$, long. $134^{\circ} 10' E.$; depth, 2600 fathoms; bottom, red clay; bottom temperature, $33^{\circ} \cdot 9$. Trawled.

Halisiphonia megalotheca. | *Cryptolaria abyssicola.*

STATION 161. Off Melbourne, April 1, 1874; lat. $38^{\circ} 22' 30'' S.$, long. $144^{\circ} 36' 30'' E.$; depth, 33 fathoms; bottom, sand. Trawled.

Azygoplou rostratum.