AT BERMUDA. BRACHYURA (Miers, Zool. pt. 49).

Podochela riisei (Stimpson). Four specimens (shallow water); obtained also at Station 122, 30 to 350 fathoms. Recorded from Caribbean Sea and Gulf of Mexico.

Macrocæloma trispinosa (Latreille). Two specimens (shallow water); obtained also at Bahia. Recorded from West Indies.

Microphrys bicornutus (Latreille). Three specimens (shallow water); obtained at no other locality by the Challenger. Recorded from Caribbean Sea, Gulf of Mexico, and Brazil.

- Mithrax (Nemausa) rostrata, M.-Edwards. Two specimens (shallow water); obtained at no other locality by the Challenger. Recorded from Caribbean Sea and Gulf of Mexico.
 - " forceps (M.-Edwards). One specimen (shore); obtained also at Fernando Noronha and Bahia. Recorded from Guiana and West Indies.

Lophactæa lobata, M.-Edwards. Three specimens (shore); obtained at no other locality by the Challenger. Recorded from Indo-Pacific region and West Indian seas.

- Panopeus herbstii, M.-Edwards, var. serratus, Saussure (?). One specimen (shallow water); obtained at no other locality by the Challenger. Recorded from American coasts.
- Eurytium limosum (Say). Two specimens (Mangrove Swamps, Hungry Bay); obtained at no other locality by the Challenger. Recorded from east coasts of America, from New York to Rio Janeiro.

Eriphia gonagra (Fabricius). One specimen; obtained at no other locality by the Challenger. Recorded from Florida to Rio Janeiro.

Neptunus (Achelous) depressifrons (Stimpson). One specimen (shore); obtained at no other locality by the Challenger. Recorded from America.

Geocarcinus lagostoma, M.-Edwards (?). One specimen ; obtained also at Ascension. Recorded from Australasia (?) to Cape, and west African coast to West Indies.

- Cardiosoma guanhumi, Latreille. Two specimens; obtained at no other locality by the Challenger. Recorded from West Indies, Florida Keys, Brazil, and Cape Verdes.
- Ocypoda arenaria (Catesby). One specimen; obtained also at Bahia. A widelydistributed species.
- Grapsus maculatus (Catesby). Three specimens ; obtained also at Cape Verdes, St. Paul's Rocks, Fernando Noronha, and Ascension. A widelydistributed species.