STATION 133. ASTEROIDEA (Sladen, Zool. pt. 51).

Dytaster exilis, n.g., n.sp., var. gracilis, nov. One specimen; the species obtained also at Stations 44 and 300.

OPHIUROIDEA (Lyman, Zool. pt. 14).

Ophioglypha bullata, Wyville Thomson, n.sp. Obtained also at Stations 45, 54, and 61.

ECHINOIDEA (Agassiz, Zool. pt. 9).

Cystechinus clypeatus, n.g., n.sp. Numerous fragments; obtained also at Stations 205 and 334, 1050 and 1915 fathoms.

HOLOTHURIOIDEA (Théel, Zool. pt. 13).

Psychropotes semperiana, n.g., n.sp. One specimen; obtained also at Station 101.

ANNELIDA (M'Intosh, Zool. pt. 34).

Lætmonice producta, Grube, var. willemoesi, nov. Obtained also at Stations 70, 146, 169, and 184.

AMPHIPODA (Stebbing, Zool. pt. 67).

Stenopleura atlantica, n.g., n.sp. One specimen (probably from the surface); obtained also at Station 106. Only species of the genus.

MACRURA (Spence Bate, Zool. pt. 52).

Willemæsia leptodactyla, Willemoes-Suhm, n.sp. One specimen; obtained also at Stations 13, 298, and 300.

Hemipenæus spinidorsalis, n.g., n.sp. Two injured specimens; obtained also at Station 213, 2050 fathoms.

Aristeus armatus, n.sp. One specimen; obtained also at Stations 184, 213, 237, 246, 276, and 323, 1400 to 2350 fathoms. Recorded subsequently from Indian Ocean ("Investigator").

Benthesicymus iridescens, n.g., n.sp. Two specimens; obtained at no other locality.

" altus, n.g., n.sp. Three specimens; obtained also at Stations 170,

171, 174, 184, 205, 214, 232, and 235, 345 to 1400 fathoms.

" mollis, n.g., n.sp. One specimen; obtained at no other locality.

Pontophilus gracilis, n.sp. One specimen; obtained also at Stations 168, 184, and 198, 1100 to 2150 fathoms.

Notostomus murrayi, n.sp. One specimen; obtained at no other locality.

Hymenodora mollicutis, n.sp. Two specimens; obtained also at Stations 87, 104, 156, 157, and 318.