- Terebra maculata (Linné). (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from Indian and Pacific Oceans. Fossil—shores of Red Sea.
 - " muscaria, Lamarck. (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from Indian and Pacific Oceans.
 - " straminea, Gray. (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from West Pacific (Australia to China).
 - " (Mywrella) amæna, Deshayes. (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from China Sea.
 - " (") babylonia, Lamarck. (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded fron Indian and Pacific Oceans.
 - " (") undulata, Gray. (Levuka, 12 fathoms); obtained also at Station 212, 10 to 20 fathoms. Recorded from Torres Strait, New Guinea, Malacca Strait, and Philippines.
- Conus (Puncticulis) arenatus, Hwass. (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from Indian and Pacific Oceans.
 - ", (Lithoconus) eburneus, Hwass. (Levuka, 12 fathoms); obtained also at Station 212, 10 to 20 fathoms. Recorded from Indian and Pacific Oceans.
 - ,, (Leptoconus) vittatus, Hwass (?). (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from Philippines.
 - " (Cylinder) textile, Linné. (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from Indian and Pacific Oceans.
- Triton (Cymatium) tuberosus, Lamarck. (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from West Indies, and Indian and Pacific Oceans.
- Ranella (Lampas) granifera, Lamarck. (Levuka, 12 fathoms); obtained at no other locality by the Challenger. Recorded from Indian Ocean and Australia.
 - ", (Argobuccinum) pusilla, Broderip. (Levuka, 12 fathoms); obtained also at Station 172 and Torres Strait.
- Strombus (Canarium) gibberulus, Linné. (Levuka, 12 fathoms); obtained also at