

- Cythere wyville-thomsoni*, n.sp. (?). Obtained also at Stations 149, 150, and 151.
- „ *scalaris*, n.sp. Obtained also at Station 305, 165 fathoms.
- „ *dasyderma*, n.sp. Widely distributed (see Station 5).
- Xestoleberis intermedia*, Brady (?). Obtained at no other locality by the Challenger.
- Cytheropteron* (?) *angustatum*, n.sp. Obtained also at Station 149.
- Bythocythere orientalis*, Brady, var. Obtained also at Hong Kong. Recorded from Hong Kong.
- „ *arenacea*, n.sp. Obtained at no other locality.
- „ *velifera*, n.sp. Obtained at no other locality.
- Polycope orbicularis*, Sars. For distribution see Station 142.
- „ (?) *favus*, n.sp. One or two valves; obtained at no other locality.
- Cytherella lata*, n.sp. Obtained also at Stations 24, 75, 120, and 191A.
- „ *truncata*, Brady. Obtained at no other locality by the Challenger. Recorded from Colon-Aspinwall.
- „ *latimarginata*, n.sp. Obtained at no other locality.

BRACHYURA (Miers, Zool. pt. 49).

- Ocypoda ceratophthalma* (Pallas). One specimen (Raine Island); obtained also at Fiji.

LAMELLIBRANCHIATA (Smith, Zool. pt. 35).

- Næra fallax*, n.sp. Obtained at no other locality.
- Poromya australis*, n.sp. Obtained at no other locality.
- „ *lævis*, n.sp. Three valves; obtained at no other locality.
- Semele (Abra) regularis*, n.sp. Single valve; obtained at no other locality.
- Tellina murrayi*, n.sp. Obtained at no other locality.
- „ *diluta*, n.sp. Obtained at no other locality.
- Verticordia deshayesiana*, Fischer. Single valve; obtained also at Station 122.
- „ *australiensis*, n.sp. Obtained at no other locality.
- Lucina cristata*, n.sp. Obtained at no other locality.
- „ (*Codakia*) *congenita*, n.sp. Obtained at no other locality.
- Montacuta acuminata*, n.sp. Obtained at no other locality.
- Nucula torresi*, n.sp. Obtained at no other locality.
- Leda watsoni*, n.sp. Obtained at no other locality.
- „ *næriiformis*, n.sp. Obtained at no other locality.
- Limopsis torresi*, n.sp. Obtained at no other locality.
- Amussium torresi*, n.sp. Obtained at no other locality.

SCAPHOPODA AND GASTEROPODA (Watson, Zool. pt. 42).

- Siphodentalium prionotum*, n.sp. Obtained at no other locality.