

STATION 192.

- Metacrinus nobilis*, n.g., n.sp. Three specimens; obtained at no other locality.
 „ *tuberosus*, n.g., n.sp. Stem fragment; obtained at no other locality.
Antedon longicirri, n.sp. One specimen; obtained at no other locality.
 „ *parvipinna*, n.sp. One specimen; obtained at no other locality.
 „ *pusilla*, n.sp. One specimen; obtained at no other locality.
 „ *discoidea*, n.sp. Four specimens; obtained at no other locality.
 „ *quinquecostata*, n.sp. Ten specimens; obtained at no other locality.
 „ *flexilis*, n.sp. Four specimens; obtained at no other locality.
 „ *patula*, n.sp. Two specimens; obtained at no other locality.
 „ *robusta*, n.sp. One specimen; obtained at no other locality.
 „ *compressa*, n.sp. Two specimens; obtained also at Station 201, 82 fathoms.
 „ *manca*, n.sp. One specimen; obtained at no other locality.
 „ *angustiradia*, n.sp. One specimen; obtained at no other locality.
Actinometra pulchella (Pourtalès)(?). One specimen; obtained also at St. Paul's Rocks.

ASTEROIDEA (Sladen, Zool. pt. 51).

- Pontaster teres*, n.g., n.sp. Obtained at no other locality.
Astropecten acanthifer, n.sp. Obtained at no other locality.
Nymphaster symbolicus, n.g., n.sp., var. *breviradiata*, nov. The species obtained also at Stations 188 and 204.
Paragonaster ctenipes, n.g., n.sp. Obtained at no other locality. Recorded subsequently from Indian Ocean ("Investigator") (?).
Pholidaster distinctus, n.g., n.sp. Obtained at no other locality.

OPHIUROIDEA (Lyman, Zool. pt. 14).

- Ophioceramis* (?) *obstricta*, n.sp. Obtained at no other locality.
Ophioglypha solida, n.sp. Obtained at no other locality.
Ophiomusium laqueatum, n.sp. Obtained at no other locality.
 „ *lütkeni*, n.sp. Obtained at no other locality.
Ophiacantha valenciennesi, n.sp. Obtained at no other locality.
Ophiocamax vitrea, n.g., n.sp. Obtained also at Stations 201, 204, 209, and 219, 95 to 150 fathoms.
Ophiothrix berberis, n.sp. Obtained also at Station 209, 95 to 100 fathoms.
Astroclon propugnatoris, n.g., n.sp. One specimen; obtained at no other locality.
 Only species of the genus.
Astroschema tumidum, n.sp. Obtained at no other locality.

ECHINOIDEA (Agassiz, Zool. pt. 9).

- Goniocidaris florigera*, n.sp. Obtained also at Station 204, 100 to 115 fathoms.