AMBOINA.

Uroptychus tridentatus, n.sp. One specimen (15 fathoms (?), probably from deep water); obtained at no other locality.

BRACHYURA (Miers, Zool. pt. 49).

,,

Naxia hystrix, n.sp. One specimen (100 fathoms); obtained at no other locality.

Lambrus longimanus (Linné). One specimen (100 fathoms); obtained also at Station 188.

" turriger, White. One specimen (15 to 25 fathoms); obtained at no other locality by the Challenger. Recorded from Philippines, Borneo, and Australia.

Gonoplax sinuatifrons, n.sp. One specimen (15 to 25 fathoms); obtained at no other locality.

Calappa hepatica (Linné). One specimen (10 fathoms); obtained also at Tongatabu and Sandwich Islands.

gallus (Herbst). One specimen (15 to 25 fathoms); obtained also at Bermuda, Cape Verdes, and Fernando Noronha.

LAMELLIBRANCHIATA (Smith, Zool. pt. 35).

Corbula tunicata, Hinds. (15 to 25 fathoms); obtained also at Station 189 and Port Jackson.

" modesta, Hinds. (15 to 20 fathoms); obtained also at Station 172.

Semele (Theora) iridescens (Hinds). Single valve (15 to 20 fathoms); obtained at no other locality by the Challenger. Recorded from Philippines and Japan.

Psammobia sp. (?). Single valve (15 to 20 fathoms).

Tellina (Macoma) consociata, n.sp. (15 to 25 fathoms); obtained at no other locality.

" (Angulus) vernalis, Hanley. (15 to 20 fathoms); obtained at no other locality by the Challenger. Recorded from Singapore.

Tapes obscurata, Deshayes. Single valve (15 to 20 fathoms); obtained at no other locality by the Challenger.

Venus (Chione) lionota, n.sp., var. (15 to 20 fathoms); obtained also at Station 188. Lucina (Codakia) sp., juv. Single valve (15 to 20 fathoms).

Cryptodon bullulus (Reeve). Single valve (15 to 20 fathoms); obtained at no other locality by the Challenger. Recorded from Australia.

Diplodonta amboinensis, n.sp. (15 to 20 fathoms); obtained at no other locality. Arca (Barbatia) sculptilis, Reeve. (15 to 20 fathoms); obtained at no other locality by the Challenger. Recorded from Philippines.

764