STATION 201. DEEP-SEA MEDUSÆ (Haeckel, Zool. pt. 12).

 Polycolpa forskalii, n.g., n.sp. One specimen; obtained at no other locality. Only species of the genus. Recorded subsequently from Red Sea.
 Pegantha pantheon, n.g., n.sp. One specimen; obtained at no other locality. Only species of the genus.

CRINOIDEA (Carpenter, Zool. pt. 60).

Antedon balanoides, n.sp. One specimen; obtained at no other locality. ,, compressa, n.sp. One specimen; obtained also at Station 192.

OPHIUROIDEA (Lyman, Zool. pt. 14).

Ophiacantha granulosa, n.sp. Two specimens; obtained at no other locality.
Ophiocamax vitrea, n.g., n.sp. Obtained also at Stations 192, 204, 209, and 219.
Ophiomyxa australis, Lütken. For distribution see Station 161.

ECHINOIDEA (Agassiz, Zool. pt. 9).

Phyllacanthus baculosa (Lamarck). Obtained also at Philippines. Cælopleurus maillardi (Michelin). Obtained also at Station 192 and Amboina.

HOLOTHURIOIDEA (Théel, Zool. pt. 39).

Thyonidium cebuense, Semper. One specimen; obtained at no other locality by the Challenger. Recorded from Cebu.

GEPHYREA (Selenka, Zool. pt. 36).

Aspidosiphon truncatus, Keferstein. Many specimens ; obtained at no other locality by the Challenger. Recorded from Panama and Mauritius.

ANNELIDA (M'Intosh, Zool. pt. 34).

Notopygos labiatus, n.sp. One specimen; obtained at no other locality. Eunoa mindanavensis, n.sp. One specimen; obtained at no other locality. Polynoë (Lepidonotus) iphionoides, n.sp. One specimen; obtained at no other locality. Eupholoë philippinensis, n.g., n.sp. One specimen; obtained at no other locality. Only species of the genus.

Eunice mindanavensis, n.sp. One specimen ; obtained at no other locality.

CIRRIPEDIA (Hoek, Zool. pt. 25).

Scalpellum trispinosum, n.sp. Three specimens ; obtained at no other locality.