Ophiomitra normani, n.sp. Obtained also at Stations 235 and 236, 420 to Station 232.

Ophiocreas caudatus, n.sp. Obtained at no other locality.

Astronyx loveni, Müller and Troschel. Obtained also at Station 49.

## ECHINOIDEA (Agassiz, Zool. pt. 9).

Phormosoma bursarium, n.sp. Obtained also at Stations 200 and 205.

Echinus norvegicus, Düben and Koren. For distribution see Station 46.

Pourtalesia laguncula, n.sp. Obtained also at Stations 168, 169, 191, and 244.

Linopneustes murrayi, n.g., n.sp. Obtained also at Station 210. Only species of the genus.

Hemiaster gibbosus, n.sp. Obtained also at Station 191.

Brissopsis luzonica (Gray). Obtained also at Stations 168, 188, 191, and 203.

Schizaster ventricosus, Gray. Obtained at no other locality by the Challenger.

## HOLOTHURIOIDEA (Théel, Zool. pts. 13 and 39).

Lætmogone wyville-thomsoni, n.g., n.sp. (?). One specimen; obtained also at Stations 147, 158, and 300.

Synapta aculeata, n.sp. One specimen; obtained at no other locality.

Ankyroderma simile, n.sp. One specimen; obtained at no other locality.

## NEMERTEA (Hubrecht, Zool. pt. 54).

Eupolia nipponensis, n.sp. Several fragments; obtained at no other locality. Cerebratulus macroren, n.sp. Obtained also at Station 169.

 $\operatorname{sp.}$  (?).

## Annelida (M'Intosh, Zool. pt. 34).

Letmonice japonica, n.sp. One specimen; obtained at no other locality.

Eunoa yedoensis, n.sp. One specimen; obtained at no other locality.

Leanira areolata, n.sp. One specimen; obtained at no other locality.

Leaniricola rotundata, n.g., n.sp. (Crustacean parasite on Leanira areolata).

Lumbriconereis bifurcata, n.sp. One specimen; obtained at no other locality.

", japonica, Marenzeller. One specimen; obtained at no other locality by the Challenger. Recorded from Japan.

Nothria macrobranchiata, n.sp. A few specimens; obtained at no other locality.

Maldane sarsi, Malmgren. Several specimens; obtained at no other locality by
the Challenger. Recorded from Europe and America.

Nicomache japonica, n.sp. One specimen; obtained at no other locality.

Praxilla lankesteri, n.sp. One specimen; obtained at no other locality.

Amphicteis japonica, n.sp. One specimen; obtained at no other locality.