## OPHIUROIDEA (Lyman, Zool. pt. 14).

STATION 298.

## ECHINOIDEA (Agassiz, Zool. pt. 9).

Aspidodiadema microtuberculatum, n.g., n.sp. Obtained also at Stations 122, 124, 134, and 299.

Pourtalesia carinata, n.sp. Obtained also at Stations 147 and 157.

" ceratopyga, n.sp. Obtained also at Stations 157 and 299.

Cystechinus vesica, n.g., n.sp. Obtained also at Stations 153 and 299.

## HOLOTHURIOIDEA (Théel, Zool. pts. 13 and 39).

Parelpidia cylindrica, n.g., n.sp. One specimen; obtained at no other locality.

The only other species of the genus (Parelpidia elongata) was taken at Station 299.

Psychropotes longicauda, n.g., n.sp. One specimen; obtained also at Stations 156 and 157.

Benthodytes sanguinolenta, n.g., n.sp. Three specimens; obtained at no other locality. [Recorded in error from Station 295].

" abyssicola, n.g., n.sp. Several specimens; obtained at no other locality.

" sordida, n.g., n.sp. One specimen; obtained also at Stations 156, 157, and 158.

,, mamillifera, n.g., n.sp. One specimen; obtained also at Station 299, 2160 fathoms. [Recorded in error from Station 295].

Cucumaria abyssorum, n.sp., var. grandis, nov. Two specimens; the species obtained also at Stations 147, 156, 299, and 300. [Recorded in error from Station 295].

Pælopatides confundens, n.g., n.sp. Three specimens; obtained also at Stations 299 and 300, 2160 and 1375 fathoms.

Holothurian (closely resembling *Pseudostichopus villosus*, n.g., n.sp.). One specimen; obtained also at Station 299, 2160 fathoms.

## Annelida (M'Intosh, Zool. pt. 34).

Lumbriconereis abyssorum, n.sp. One specimen; obtained at no other locality.

Nothria pycnobranchiata, n.sp. Several specimens; obtained also at Station 299,

2160 fathoms.

" ehlersi, n.sp. Several specimens; obtained also at Station 299, 2160 fathoms. Maldanella valparaisiensis, n.g., n.sp. One specimen; obtained at no other locality. (SUMMARY OF RESULTS CHALL. EXP.—1893.)