ANTIPATHARIA (Brook, Zool. pt. 80).

STATION 310.

Tylopathes crispa, n.g., n.sp. Obtained at no other locality.

OPHIUROIDEA (Lyman, Zool. pt. 14).

Ophiolebes vestitus, n.g., n.sp. Obtained also at Stations 307 and 308. Astroschema rubrum, n.sp. Obtained at no other locality.

ECHINOIDEA (Agassiz, Zool. pt. 9).

Hemiaster cavernosus (Phil.). Obtained also at Stations 149 and 151. Schizaster moseleyi, n.sp. Three specimens; for distribution see Station 146.

HOLOTHURIOIDEA (Théel, Zool. pt. 39).

Ankyroderma danielsseni, n.sp. One specimen; obtained at no other locality.

Annelida (M'Intosh, Zool. pt. 34).

Polyeunoa lævis, n.g., n.sp. Two specimens; obtained also at Station 145. Only species of the genus.

Lagisca magellanica, n.sp., var. murrayi, nov. Several specimens; the species obtained also at Stations 145 (var. grubei), 149, and 308.

Hemipodus (?) magellanicus, n.sp. Many specimens; obtained also at Station 306.

MACRURA (Spence Bate, Zool. pt. 52).

Acanthephyra carinata, n.sp. One specimen; obtained at no other locality.

" approxima, n.sp. One specimen; obtained at no other locality.

Campylonotus semistriatus, n.g., n.sp. Six specimens; for distribution see Station 305.

Anomura (Henderson, Zool. pt. 69).

Munidopsis trifida, n.sp. One specimen; obtained at no other locality. Ptychogaster milne-edwardsi, n.sp. One specimen; obtained at no other locality. Uroptychus parvulus, n.sp. Thirty specimens; obtained at no other locality.

Pycnogonida (Hoek, Zool. pt. 10).

Colossendeis leptorhynchus, n.sp. Obtained also at Stations 146, 147, and 300.

LAMELLIBRANCHIATA (Smith, Zool. pt. 35).

Pecten vitreus (Chemnitz). For distribution see Station 204.

" subhyalinus, n.sp. Obtained at no other locality.

(SUMMARY OF RESULTS CHALL. EXP.—1893.)