VOYAGE OF H.M.S. CHALLENGER.

ZOOLOGY.

REPORT on the Marseniadæ collected by H.M.S. Challenger during the Years 1873-76. By Dr Rudolph Bergh, Physician to the General Hospital of Copenhagen.

INTRODUCTION.

The family of the Marseniadæ has slowly gathered round the Helix perspicua, first defined by Linné in the tenth edition of his Systema Naturæ,¹ and the Bulla latens of O. Fr. Müller.² These forms, without an externally visible shell, were left for long unnoticed, until M. Sars³ recalled attention to Bulla latens, while Cuvier⁴ had meantime investigated a form nearly related to that mentioned by Ström and by Linné, and had described it under the name of Sigaret, which he borrowed from Adanson. A form at least congeneric (Lamellaria tentaculata) was described by the English naturalist Montagu,⁵ and referred by him to his genus Lamellaria. The resemblance, however, between the title bestowed by Montagu and the generic designation of a group of Algæ (Laminaria, Lamouroux), as also the fact that the name Lamellaria cannot be fitly applied to the first and typical section of Montagu's genus, led Leach to advocate the disuse of the term. About 1819, in the British Museum, and a year later in his Synopsis,⁶ he applied

Syst. Nat., 1758, ed. x. t. i. p. 775, No. 620.

² Zool. Dan. prodr., 1776, p. 242, No. 2923.

⁸ M. Sars, Beskriv. og Jagttag. over nogle mærkelige eller nye i Havet ved den Bergenske Kyst levende Dyr. Bergen, 1835, p. 67 (*Isis.* 1837, p. 754 (*Sigaretus Stræmii*)).

⁴ Bull. Soc. Philom. Paris, Oct. 1799, No. 31, p. 32.—Sur l'Haliotide, le Sigaret, &c. (Mém. sur les Moll., 1817, No. 18).

⁵ Trans. Linn. Soc. Lond., 1811, vol. xi. p. 179.

⁶ The opinion, of Herrmannsen (Ind. Malacoz. primordia, t. ii. p. 23) that Müller's Bulla latens should be the type of the genus, is really based only on the fact that this species was labelled Marsenia latens in the collection of northern Mollusca sent by H. Beck (Museum Christiani viii.) to the assembly of naturalists at Kiel in 1847.