defined pad stretches across the body, which is flat and expands thinly on the straight shortish pillar. H. 0.15 in. B. 0.07. Penultimate whorl, height 0.03. Tip of apex, breadth 0.013. Mouth, height 0.05, breadth 0.04.

This is a remarkably short and blunt form, more like an Odostomia, but without the characteristic apex of that genus.

24. Eulima dissimilis, Watson (Pl. XXXVII. fig. 5).

Eulima dissimilis, Watson, Prelim. Report, pt. 17, Journ. Linn. Soc. Lond., vol. xvii. p. 128, sp. 22. April 17, 1874. Port Jackson, Australia. 2 to 10 fathoms.

Shell.—Small, translucent, thin, narrow, straight, cylindrical, with a short spire, a blunt rounded tip, whorls of which the earlier are short and rounded while the last two are high and flattened, an impressed suture, and a round mouth. Sculpture: There are faint unequal microscopic lines of growth. Colour translucent, glossy white. Apex blunt, roundly and evenly pointed. Spire short, cylindrical below, roundedly conical above. Whorls $5\frac{1}{2}$; above they are short, rounded, and of slow increase, but the last two are somewhat long, cylindrical, and of rapid enlargement; the base is long, slowly contracted, but at last rapidly rounded. Suture distinct, and constricted above; below it is less so. Mouth short and round, pointed above, patulous but not guttered in front. Outer lip circularly curved; its thin edge is quite level. Inner lip is very straight, with a thin definite-edged pad on the body and pillar, the latter of which is short. H. 0.11 in. B. 0.03. Penultimate whorl, height 0.026. Tip of apex, breadth 0.009. Mouth, height 0.03, breadth 0.027.

This is a very aberrant form, with curious resemblances to Rissoa epidaurica, Brusina,² and Rissoa striata, Adams, but is, I think, a true Eulima, and is also probably mature. It is slightly like Eulima campyla; but is smaller and straighter, with a larger blunter apex and small round mouth.

25. Eulima eurychades, Watson (Pl. XXXVII. fig. 7).

Eulima eurychades, Watson, Prelim. Report, pt. 17, Journ. Linn. Soc. Lond., vol. xvii. p. 129, sp. 23.

Station 185B. August 31, 1874. Lat. 11° 38′ 15″ S., long. 143° 59′ 38″ E. Off
Raine Island, Cape York, North Australia. 155 fathoms. Coral sand.

Shell.—Small, strongish, porcellanous, glossy white with a smoky band, somewhat like a Pupa-shell but more conical, straight, with a blunt tip, flat-sided whorls, a strongly impressed suture, and a small round mouth. Sculpture: There are obscure microscopic

¹ As not like a Eulima at all.

² The identification of this species with Rissoa glabrata, v. Mühlf., seems to me very doubtful.

³ iugu x adns, wide gaping. 4 Printed by mistake eurychada.