

China Sea, off Luzon. Surface.

<i>Sergestes intermedius.</i>		<i>Caricyphus turgidus</i> (1).
<i>Sergestes reynaudii.</i>		<i>Anebocaris quadroculus</i> (1).

Off Hong Kong; depth, 10 fathoms.

<i>Alpheus rapax</i> (1 ♂).		<i>Nauticaris unirecedens</i> (1 ♀).
-----------------------------	--	--------------------------------------

STATION 207. January 16, 1875; lat. 12° 21' N., long. 122° 15' E.; off Tablas Island, Philippines; depth, 700 fathoms; bottom, blue mud; bottom temperature, 51°·6. Trawled.

<i>Hemipenæus gracilis</i> (6 ♀ ♂).		<i>Heterocarpus gibbosus</i> (1).
<i>Sergestes japonicus</i> (2 ♀).		<i>Acanthephyra media</i> (2 ♀ ♂).
		<i>Oplophorus brevirostris</i> (1).

STATION 208. January 17, 1875; lat. 11° 37' N., long. 123° 31' E.; off Manilla; depth, 18 fathoms; bottom, blue mud. Trawled.

<i>Alpheus crinitus</i> , Dana (1 ♀).		<i>Alpheus spiniger</i> , Stimpson (1 ♀).
		<i>Alpheus biunguiculatus</i> (2 ♀).

Zebu Harbour.

<i>Parathanas immaturus.</i>		<i>Anebocaris quadroculus</i> (3).
------------------------------	--	------------------------------------

STATION 209. January 22, 1875; lat. 10° 14' N., long. 123° 54' E.; off Zebu, Philippines; depth, 95 fathoms; bottom, blue mud; bottom temperature, 71°. Trawled and dredged.

<i>Arctus orientalis</i> (2 ♀ ♂).		<i>Penæus fissurus</i> (10 ♀ ♂).
<i>Spongicola venusta</i> (many ♀ ♂).		<i>Penæus rectacutus</i> (1 ♀).

STATION 213. February 8, 1875; lat. 5° 47' N., long. 124° 1' E.; south of the Philippines; depth, 2050 fathoms; bottom, blue mud; bottom temperature, 38°·8. Trawled.

<i>Hemipenæus spinidorsalis</i> (1).		<i>Alpheus minus</i> (1).
<i>Aristeus armatus</i> (1).		<i>Acanthephyra acutifrons</i> (1 ♂).