

Remipes testudinarius, Latreille.

- Remipes testudinarius*, Latreille, Gen. Crust. et Insect., t. i. p. 45, 1806.
 " " Lamarck, Hist. Anim. sans Vert., t. v. p. 223, 1818.
 " " Desmarest, Consid. sur les Crust., p. 175, pl. xxix. fig. 1, 1825.
 " " Milne-Edwards, Hist. Nat. des Crust., t. ii. p. 406, pl. xxi. figs. 14-20, 1837; Crust. in Cuvier Règne Anim. (3me éd.), Atlas, pl. xlvi. fig. 1, no date.
 " " Guérin-Méneville, Icon. Règne Anim., Crust., pl. xv. fig. 3, 1829-44.
 " " Heller, Reise der Novara, Crust., p. 72, 1865.
 " " Hilgendorf, Crust. in Van der Decken's Reisen in Ost-Afrika, p. 94, 1869.
 " " Miers, Journ. Linn. Soc. Lond. (Zool.), vol. xiv. p. 316, 1877, *ubi synon.*
 " " Haswell, Catal. Austral. Crust., p. 151, 1882.
 " *marmoratus*, White, List Crust. Brit. Mus., p. 58, 1847, *sine descr.*
 " " Jacquinot et Lucas, Crust. in Voy. Pôle Sud, Zool., t. iii. p. 97, pl. viii. figs. 22-26, 1853.
 " " Miers, Catal. New Zealand Crust., p. 59, 1876.
 " *pacificus*, Dana, U.S. Explor. Exped., vol. xiii., Crust., part i. p. 407, pl. xxv. fig. 7, 1852.
 " " Stimpson, Ann. Lyc. Nat. Hist. New York, vol. vii. p. 241, 1862.
 " " Miers, Proc. Zool. Soc. Lond., p. 74, 1877.
 " *hirtipes*, Dana, U.S. Explor. Exped., vol. xiii., Crust., part i. p. 408, pl. xxv. fig. 8, 1852.
 " *pictus*, Heller, Crust. Rothen Meeres, Sitzungsber. Akad. Wiss. Wien, xliv. i. p. 243, 1862.
 " *ovalis*, A. Milne-Edwards, Faune Carcinol. in Maillard, Ile Réunion, t. ii., Annexe F, p. 12, pl. xvii. fig. 5, 1863.

Habitat.—Ternate, October 15, 1874. A single specimen (a female with ova) of this common and widely distributed Indo-Pacific species. The carapace measures 31 mm. in length.

Remipes scutellatus (Fabricius).

- Squilla barbadensis ovalis*, Petiver, Pterograph. Amer., pl. xx. fig. 9, 1764.
Hippa scutellata, Fabricius, Ent. Syst., t. ii. p. 474, 1793.
Remipes scutellatus, White, List Crust. Brit. Mus., p. 57, 1847, *sine descr.*
 " " Miers, Journ. Linn. Soc. Lond. (Zool.), vol. xiv. p. 319, 1877, *ubi synon.*
 " " Studer, "Gazelle" Crust., Abhandl. d. k. Akad. d. Wiss. Berlin, p. 23, 1883.
 " *cubensis*, Saussure, Rev. et Mag. Zool., t. ix. pp. 304, 308, 1857; Mém. Soc. Phys. et Hist. Nat. Genève, t. xiv. p. 452, pl. ii. fig. 19, 1858.
 " *barbadensis*, Stimpson, Ann. Lyc. Nat. Hist. New York, vol. x. p. 120, 1871.

Habitat.—St. Vincent, Cape Verde Islands. Among a large number of specimens the majority are females with ova; males occur in the proportion of about one to two females.

Bermuda, on the sandy shore. Six females (one with ova) and two males. These